ELSEVIER

Neuroscience Letters 297 (2000) 218–221

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 297

Abbruzzese, G., see Trompetto, C., 17
Adan, A., Sánchez-Turet, M., Influence of smoking and gender on diurnal variations of heart rate reactivity in humans, 109
Agid, Y., see Lambeng, N., 133
Aguerre, S., see Fernandez, F., 53
Aihara, N., see Fujita, M., 13
Akiyama, H., see Hino, H., 105
Akiyama, H., see Yasojima, K., 97
Andreasen, N., see Hesse, C., 187
Antonow-Schlorke, I., Kühn, B., Müller, H. Schubert, T., Sliwka, U., Nathanielsz, P.W., Schwab, M., Antenatal betamethasone treatment reduces synaptophysin immunoreactivity in presynaptic terminals in the fetal sheep brain, 147
Asai, K., see Fujita, M., 13

Beas-Zárate, C., see González-Burgos, I., 69
Benoliel, R., Eliav, E., Tal, M., No sympathetic nerve sprouting in rat trigeminal ganglion following painful and non-painful infraorbital nerve neuropathy, 151
Bidmon, H.-J., see Hilbig, H., 9
Bitchevaya, N.K., see Mosevitsky, M.I., 49
Blennow, K., see Hesse, C., 187
Bohrer, I., see Nager, W., 1
Botas, A., Espino, G., Rosenfield, D.B., Helekar, S.A., Reduction of female-directed song motifs induced by repeated singing in laboratory-bred zebra finches, 203
Brand, G., see Millot, J.-L., 61
Buccolieri, A., see Trompetto, C., 17

Chaouloff, F., see Fernandez, F., 53
Chen, A.C.N., Herrmann, C.S., Perception of pain coincides with the spatial expansion of electroencephalographic dynamics in human subjects, 183
Chen, C.-J., see Liao, S.-L., 159
Chen, W.-Y., see Liao, S.-L., 159
Chen, Y., see Ross, D.T., 113
Choi, Y., see Leem, J.W., 155
Chung, J.-H., see Kim, E.-H., 21
Corns, R.A., Hidaka, H., Santer, R.M., Decreased neurocalcin immunoreactivity in sympathetic and parasympathetic neurons of the major pelvic ganglion in aged rats, 81

Darbin, O., Risso, J.J., Rostain, J.C., Helium-oxygen pressure induces striatal glutamate increase: a microdialysis study in freely-moving rats, 37
Davidsson, P., see Hesse, C., 187
Doi, K., see Nakayama, H., 195
Dringen, R., see Sokolova, T., 129
Drost, D.J., see Thomas, A.W., 121

Eckert III, W.A., Willcockson, H.H., Light, A.R., Interference of biocytin with opioid-evoked hyperpolarization and membrane properties of rat spinal substantia gelatinosa neurons, 117
Eliav, E., see Bénoliel, R., 151
Endo, H., see Ishige, K., 207
Espino, G., see Botas, A., 203

Fernandez, F., Aguerre, S., Mormède, P., Chaouloff, F., Differential sensitivities to the lethal, but not the neurotoxic, effects of *p*-chloroamphetamine in inbred rat strains, 53
Fernandez, M., Pissiota, A., Frans, Ö., von Knorring, L., Fischer, H., Fredrikson, M., Brain function in a patient with torture related posttraumatic stress disorder before and after fluoxetine treatment: a positron emission tomography provocation study, 101
Ficca, G., see Vegni, C., 58
Fischer, H., see Fernandez, M., 101
Flonta, M.-L., see Reid, G., 171
Forman, S.A., see Scheller, M., 179
Franke, H., see Hilbig, H., 9
Frans, Ö., see Fernandez, M., 101
Fredrikson, M., see Fernandez, M., 101
Freeney, A., see Heller, A., 216
Fujioka, H., see Suzuki, M., 199
Fujita, M., Aihara, N., Yamamoto, M., Ueki, T., Asai, K., Tada, T., Kato, T., Yamada, K., Regulation of rat hippocampal neural cadherin in the kainic acid induced seizures, 13
Funabashi, T., see Mitsushima, D., 73

Giganti, F., see Vegni, C., 58
Godaux, E., see Ris, L., 142
González-Burgos, I., Pérez-Vega, M.I., Beas-Zárate, C., Neonatal exposure to monosodium glutamate induces cell death and dendritic hypotrophy in rat prefrontocortical pyramidal neurons, 69
Gori, S., see Vegni, C., 58
Gruber, O., von Cramon, D.Y., Domain-specific distribution of working memory processes along human prefrontal and parietal cortices: a functional magnetic resonance imaging study, 29
Guo, H., see Ross, D.T., 113
Gutterer, J.M., see Sokolova, T., 129

Hamilton, G.S., see Ross, D.T., 113
Hamprecht, B., see Sokolova, T., 129
Hanzawa, S., see Wake, K., 25
Harris, C.A., see Schindler, M., 211
Hashimoto, I., see Inoue, K., 89
Hayes, B., see Schindler, M., 211
Helekar, S.A., see Botas, A., 203
Heller, A., Freeney, A., Hessefort, S., Villereal, M., Won, L., Erratum to

PII: S0304-3940(00)01761-4

ELSEVIER

Neuroscience Letters 297 (2000) 218–221

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 297

Abbruzzese, G., see Trompetto, C., 17
Adan, A., Sánchez-Turet, M., Influence of smoking and gender on diurnal variations of heart rate reactivity in humans, 109
Agid, Y., see Lambeng, N., 133
Aguerre, S., see Fernandez, F., 53
Aihara, N., see Fujita, M., 13
Akiyama, H., see Hino, H., 105
Akiyama, H., see Yasojima, K., 97
Andreasen, N., see Hesse, C., 187
Antonow-Schlorke, I., Kühn, B., Müller, H. Schubert, T., Sliwka, U., Nathanielsz, P.W., Schwab, M., Antenatal betamethasone treatment reduces synaptophysin immunoreactivity in presynaptic terminals in the fetal sheep brain, 147
Asai, K., see Fujita, M., 13

Beas-Zárate, C., see González-Burgos, I., 69
Benoliel, R., Eliav, E., Tal, M., No sympathetic nerve sprouting in rat trigeminal ganglion following painful and non-painful infraorbital nerve neuropathy, 151
Bidmon, H.-J., see Hilbig, H., 9
Bitchevaya, N.K., see Mosevitsky, M.I., 49
Blennow, K., see Hesse, C., 187
Bohrer, I., see Nager, W., 1
Botas, A., Espino, G., Rosenfield, D.B., Helekar, S.A., Reduction of female-directed song motifs induced by repeated singing in laboratory-bred zebra finches, 203
Brand, G., see Millot, J.-L., 61
Buccolieri, A., see Trompetto, C., 17

Chaouloff, F., see Fernandez, F., 53
Chen, A.C.N., Herrmann, C.S., Perception of pain coincides with the spatial expansion of electroencephalographic dynamics in human subjects, 183
Chen, C.-J., see Liao, S.-L., 159
Chen, W.-Y., see Liao, S.-L., 159
Chen, Y., see Ross, D.T., 113
Choi, Y., see Leem, J.W., 155
Chung, J.-H., see Kim, E.-H., 21
Corns, R.A., Hidaka, H., Santer, R.M., Decreased neurocalcin immunoreactivity in sympathetic and parasympathetic neurons of the major pelvic ganglion in aged rats, 81

Darbin, O., Risso, J.J., Rostain, J.C., Helium-oxygen pressure induces striatal glutamate increase: a microdialysis study in freely-moving rats, 37
Davidsson, P., see Hesse, C., 187
Doi, K., see Nakayama, H., 195
Dringen, R., see Sokolova, T., 129
Drost, D.J., see Thomas, A.W., 121

Eckert III, W.A., Willcockson, H.H., Light, A.R., Interference of biocytin with opioid-evoked hyperpolarization and membrane properties of rat spinal substantia gelatinosa neurons, 117
Eliav, E., see Bénoliel, R., 151
Endo, H., see Ishige, K., 207
Espino, G., see Botas, A., 203

Fernandez, F., Aguerre, S., Mormède, P., Chaouloff, F., Differential sensitivities to the lethal, but not the neurotoxic, effects of *p*-chloroamphetamine in inbred rat strains, 53
Fernandez, M., Pissiota, A., Frans, Ö., von Knorring, L., Fischer, H., Fredrikson, M., Brain function in a patient with torture related posttraumatic stress disorder before and after fluoxetine treatment: a positron emission tomography provocation study, 101
Ficca, G., see Vegni, C., 58
Fischer, H., see Fernandez, M., 101
Flonta, M.-L., see Reid, G., 171
Forman, S.A., see Scheller, M., 179
Franke, H., see Hilbig, H., 9
Frans, Ö., see Fernandez, M., 101
Fredrikson, M., see Fernandez, M., 101
Freeney, A., see Heller, A., 216
Fujioka, H., see Suzuki, M., 199
Fujita, M., Aihara, N., Yamamoto, M., Ueki, T., Asai, K., Tada, T., Kato, T., Yamada, K., Regulation of rat hippocampal neural cadherin in the kainic acid induced seizures, 13
Funabashi, T., see Mitsushima, D., 73

Giganti, F., see Vegni, C., 58
Godaux, E., see Ris, L., 142
González-Burgos, I., Pérez-Vega, M.I., Beas-Zárate, C., Neonatal exposure to monosodium glutamate induces cell death and dendritic hypotrophy in rat prefrontocortical pyramidal neurons, 69
Gori, S., see Vegni, C., 58
Gruber, O., von Cramon, D.Y., Domain-specific distribution of working memory processes along human prefrontal and parietal cortices: a functional magnetic resonance imaging study, 29
Guo, H., see Ross, D.T., 113
Gutterer, J.M., see Sokolova, T., 129

Hamilton, G.S., see Ross, D.T., 113
Hamprecht, B., see Sokolova, T., 129
Hanzawa, S., see Wake, K., 25
Harris, C.A., see Schindler, M., 211
Hashimoto, I., see Inoue, K., 89
Hayes, B., see Schindler, M., 211
Helekar, S.A., see Botas, A., 203
Heller, A., Freeney, A., Hessefort, S., Villereal, M., Won, L., Erratum to

PII: S0304-3940(00)01761-4

"Cellular dompamine is increased following exposure to a factor derived form immortalized striatal neurons in humans"[Neurosci. Lett. 295 (2000) 1–4], 216
Herrmann, C.S., see Chen, A.C.N., 183
Hesse, C., Rosengren, L., Andreasen, N., Davidsson, P., Vanderstichele, H., Vanmechelen, E., Blennow, K., Transient increase in total tau but not phospho-tau in human cerebrospinal fluid after acute stroke, 187
Hessefort, S., see Heller, A., 216
Hidaka, H., see Corns, R.A., 81
Hilbig, H., Franke, H., Bidmon, H.-J., Illes, P., Nitric oxide synthase isoenzymes during in vitro development of rat neuronal and human non-neuronal cells, 9
Hino, H., Akiyama, H., Iseki, E., Kato, M., Kondo, H., Ikeda, K., Kosaka, K., Immunohistochemical localization of plasminogen activator inhibitor-1 in rat and human brain tissues, 105
Hirrlinger, J., see Sokolova, T., 129
Hong, H.-N., see Kim, D., 33
Hori, Y., see Wake, K., 25
Horowitz, J.M., see Shahlaie, K., 85
Howorth, P., see Ross, D.T., 113
Huh, Y., see Kim, E.-H., 21
Humphrey, P.P.A., see Schindler, M., 211
Hwang, J.H., see Leem, J.W., 155
Hwang, S.J., see Leem, J.W., 155

Ikeda, K., see Hino, H., 105
Illes, P., see Hilbig, H., 9
Inoue, K., Hashimoto, I., Nakamura, S., High-frequency oscillations in human posterior tibial somatosensory evoked potentials are enhanced in patients with Parkinson's disease and multiple system atrophy, 89
Iseki, E., see Hino, H., 105
Ishige, K., Endo, H., Saito, H., Ito, Y., Repeated administration of CGP 46381, a γ-aminobutyric $acid_B$ antagonist, and ethosuximide suppresses seizure-associated cyclic adenosine $3'5'$ monophosphate response element- and activator protein-1 DNA-binding activities in lethargic (*lh/lh*) mice, 207
Ito, Y., see Ishige, K., 207
Itoh, S., see Kobayashi, H., 163

Jarry, H., see Roth, C., 45
Jenner, P., see McNaught, K.S.P., 191
Ji, Y.-H., see Tan, Z.-Y., 65
Jungkunz, G., see Rubie, C., 125

Kang, J.-E., see Kim, E.-H., 21
Kargozaran, H., see Shahlaie, K., 85
Kato, M., see Hino, H., 105
Kato, T., see Fujita, M., 13
Kaur, C., see Wang, D., 77
Kiatipattanasakul, W., see Nakayama, H., 195
Kikuta, F., see Nakayama, H., 195
Kim, C.-J., see Kim, E.-H., 21
Kim, D., Koh, W.-K., Kim, J.-U., Lee, J.-H., Hong, H.-N., Okadaic acid-induced upregulation of nitrotyrosine and heme oxygenase-1 in rat cortical neuron cultures, 33
Kim, E.-H., Kim, Y.-J., Lee, H.J., Huh, Y., Chung, J.-H., Seo, J.-C., Kang, J.-E., Lee, H.-J., Yim, S.-V., Kim, C.-J., Acupuncture increases cell proliferation in dentate gyrus after transient global ischemia in gerbils, 21
Kim, J.-U., see Kim, D., 33
Kim, M.K., see Leem, J.W., 155
Kim, Y.-J., see Kim, E.-H., 21
Kimura, F., see Mitsushima, D., 73
Klementiev, B.I., see Mosevitsky, M.I., 49
Knapp, M., see Rubie, C., 125
Kobayashi, H., Minami, S.-i., Itoh, S., Shiraishi, S., Yokoo, H., Yanagita, T., Uezono, Y., Mohri, M., Wada, A., Aquaporin subtypes in rat cerebral microvessels, 163
Kobayashi, H., Shiraishi, S., Minami, S.-i., Yokoo, H., Yanagita, T., Saitoh, T., Mohri, M., Wada, A., Adrenomedullin receptors in rat choroid plexus, 167
Koh, W.-K., see Kim, D., 33
Kondo, H., see Hino, H., 105
Konno, R., see Wake, K., 25
Konovalova, E.S., see Mosevitsky, M.I., 49
Kosaka, K., see Hino, H., 105
Koyama, T., see Odagaki, Y., 137
Ktonas, P., see Vegni, C., 58
Kuba, K., see Nowak, J.Z., 93
Kühn, B., see Antonow-Schlorke, I., 147
Kuo, J.-S., see Liao, S.-L., 159
Kuroki, K., see Nakayama, H., 195

Lakomek, M., see Roth, C., 45
Lambeng, N., Michel, P.P., Agid, Y., Ruberg, M., The relationship between differentiation and survival in PC12 cells treated with cyclic adenosine monophosphate in the presence of epidermal growth factor or nerve growth factor, 133
Lee, H.J., see Kim, E.-H., 21
Lee, H.-J., see Kim, E.-H., 21
Lee, J.-H., see Kim, D., 33
Leem, J.W., Hwang, J.H., Hwang, S.J., Park, H., Kim, M.K., Choi, Y., The role of peripheral *N*-methyl-D-aspartate receptors in Freund's complete adjuvant induced mechanical hyperalgesia in rats, 155
Liao, S.-L., Chen, W.-Y., Kuo, J.-S., Chen, C.-J., Association of serum estrogen level and ischemic neuroprotection in female rats, 159
Light, A.R., see Eckert III, W.A., 117

Makifuchi, T., see Nakayama, H., 195
Mao, X., see Tan, Z.-Y., 65
Matuamuro, M., see Suzuki, M., 199
McGeer, E.G., see Yasojima, K., 97
McGeer, P.L., see Yasojima, K., 97
McNaught, K.S.P., Jenner, P., Proteasomal function is impaired in substantia nigra in Parkinson's disease, 191
Meyer, J., see Rubie, C., 125
Michel, P.P., see Lambeng, N., 133
Millot, J.-L., Brand, G., Effects of pleasant and unpleasant ambient odors on human voice pitch, 61
Minami, S.-i., see Kobayashi, H., 163
Minami, S.-i., see Kobayashi, H., 167
Mitsushima, D., Funabashi, T., Shinohara, K., Kimura, F., Impairment of maze learning in rats by restricting environmental space, 73
Miyawaki, K., see Nakayama, H., 195
Mohri, M., see Kobayashi, H., 163
Mohri, M., see Kobayashi, H., 167
Mormède, P., see Fernandez, F., 53
Mosevitsky, M.I., Konovalova, E.S., Bitchevaya, N.K., Klementiev, B.I., Not growth associated protein GAP-43 (B-50), but its fragment GAP-43-3 (B-60) predominates in rat brain during development, 49

Müller, H. Schubert, T., see Antonow-Schlorke, I., 147
Münte, T.F., see Nager, W., 1

Nager, W., Rosenthal, O., Bohrer, I., Teder-Sälejärvi, W.A., Münte, T.F., Human event-related potentials and distraction during selective listening, 1
Nakamura, S., see Inoue, K., 89
Nakamura, S., see Nakayama, H., 195
Nakayama, H., Kiatipattanasakul, W., Nakamura, S., Miyawaki, K., Kikuta, F., Uchida, K., Kuroki, K., Makifuchi, T., Yoshikawa, Y., Doi, K., Fractal analysis of senile plaque observed in various animal species, 195
Nathanielsz, P.W., see Antonow-Schlorke, I., 147
Nishihara, M., see Suzuki, M., 199
Niwa, A., see Wake, K., 25
Nowak, J.Z., Kuba, K., Vasoactive intestinal peptide-stimulated adenosine 3′,5′-cyclic monophosphate formation in cerebral cortex and hypothalamus of chick and rat: comparison of the chicken and mammalian peptide, 93

Odagaki, Y., Koyama, T., Identification of Gα subtype(s) involved in γ-aminobutyric $acid_B$ receptor-mediated high-affinity guanosine triphosphatase activity in rat cerebral cortical membranes, 137
Okamoto, K., see Yoshida, T., 5

Papotti, M., see Schindler, M., 211
Park, H., see Leem, J.W., 155
Pérez-Vega, M.I., see González-Burgos, I., 69
Pissiota, A., see Fernandez, M., 101
Prato, F.S., see Thomas, A.W., 121

Reid, G., Flonta, M.-L., Cold transduction by inhibition of a background potassium conductance in rat primary sensory neurones, 171
Riederer, P., see Rubie, C., 125
Ris, L., Godaux, E., Voltage-gated calcium channels contribute to the pattern of the resting discharge in guinea pig medial vestibular nucleus neurons, 142
Risso, J.J., see Darbin, O., 37
Rosenfield, D.B., see Botas, A., 203
Rosengren, L., see Hesse, C., 187
Rosenthal, O., see Nager, W., 1
Ross, D.T., Guo, H., Howorth, P., Chen, Y., Hamilton, G.S., Steiner, J.P., The small molecule FKBP ligand GPI 1046 induces partial striatal reinnervation after intranigral 6-hydroxydopamine lesion in rats, 113
Rostain, J.C., see Darbin, O., 37
Roth, C., Schmidberger, H., Lakomek, M., Witt, O., Wuttke, W., Jarry, H., Reduction of γ-aminobutyric acid-ergic neurotransmission as a putative mechanism of radiation induced activation of the gonadotropin releasing-hormone-pulse generator leading to precocious puberty in female rats, 45
Ruberg, M., see Lambeng, N., 133
Rubie, C., Schmidt, F., Knapp, M., Sprandel, J., Wiegand, C., Meyer, J., Jungkunz, G., Riederer, P., Stöber, G., The human dopamine transporter gene: the 5′-flanking region reveals five diallelic polymorphic sites in a Caucasian population sample, 125

Saito, H., see Ishige, K., 207
Saitoh, T., see Kobayashi, H., 167
Sakio, H., see Wake, K., 25
Salzarulo, P., see Vegni, C., 58
Sánchez-Turet, M., see Adan, A., 109
Santer, R.M., see Corns, R.A., 81
Scheller, M., Forman, S.A., Butanol effects on γ-aminobutyric acid concentration-responses in human $\alpha_1\beta_2\gamma_{2L}$ γ-aminobutyric acid type A receptors with a mutation at α_1S270, 179
Schindler, M., Harris, C.A., Hayes, B., Papotti, M., Humphrey, P.P.A., Immunohistochemical localization of adenosine A_1 receptors in human brain regions, 211
Schmidberger, H., see Roth, C., 45
Schmidt, F., see Rubie, C., 125
Schwab, M., see Antonow-Schlorke, I., 147
Seo, J.-C., see Kim, E.-H., 21
Shahlaie, K., Kargozaran, H., Horowitz, J.M., Age-related changes in potentiation of evoked responses in CA1 pyramidal cells from the hamster hippocampus, 85
Shinohara, K., see Mitsushima, D., 73
Shiraishi, S., see Kobayashi, H., 163
Shiraishi, S., see Kobayashi, H., 167
Sliwka, U., see Antonow-Schlorke, I., 147
Sokolova, T., Gutterer, J.M., Hirrlinger, J., Hamprecht, B., Dringen, R., Catalase in astroglia-rich primary cultures from rat brain: immunocytochemical localization and inactivation during the disposal of hydrogen peroxide, 129
Sprandel, J., see Rubie, C., 125
Stöber, G., see Rubie, C., 125
Steiner, J.P., see Ross, D.T., 113
Sugiura, T., Yoshinaga, N., Waku, K., Rapid generation of 2-arachidonoylglycerol, an endogenous cannabinoid receptor ligand, in rat brain after decapitation, 175
Suzuki, M., Yonezawa, T., Fujioka, H., Matuamuro, M., Nishihara, M., Induction of granulin precursor gene expression by estrogen treatment in neonatal rat hypothalamus, 199

Tada, T., see Fujita, M., 13
Tal, M., see Benoliel, R., 151
Tan, Z.-Y., Mao, X., Xiao, H., Zhao, Z.-Q., Ji, Y.-H., *Buthus martensi* Karsch agonist of skeletal-muscle RyR-1, a scorpion active polypeptide: antinociceptive effect on rat peripheral nervous system and spinal cord, and inhibition of voltage-gated Na^+ currents in dorsal root ganglion neurons, 65
Tanaka, M., see Yoshida, T., 5
Teder-Sälejärvi, W.A., see Nager, W., 1
Thomas, A.W., Drost, D.J., Prato, F.S., Human subjects exposed to a specific pulsed (200 μT) magnetic field: effects on normal standing balance, 121
Trammell, J., see Vegni, C., 58
Trompetto, C., Buccolieri, A., Abbruzzese, G., Intracortical inhibitory circuits and sensory input: a study with transcranial magnetic stimulation in humans, 17
Turner, D., see Zhang, T., 41

Uchida, K., see Nakayama, H., 195
Ueki, T., see Fujita, M., 13
Uezono, Y., see Kobayashi, H., 163

Vanderstichele, H., see Hesse, C., 187
Vanmechelen, E., see Hesse, C., 187
Vegni, C., Ktonas, P., Giganti, F., Ficca, G., Trammell, J., Gori, S., Salzarulo, P., The organization of rapid eye movement activity during rapid eye movement sleep is further impaired in very old human subjects, 58
Villereal, M., see Heller, A., 216

von Cramon, D.Y., see Gruber, O., 29
von Knorring, L., see Fernandez, M., 101

Wada, A., see Kobayashi, H., 163
Wada, A., see Kobayashi, H., 167
Wake, K., Yamazaki, H., Hanzawa, S., Konno, R., Sakio, H., Niwa, A., Hori, Y., Exaggerated responses to chronic nociceptive stimuli and enhancement of *N*-methyl-D-aspartate receptor-mediated synaptic transmission in mutant mice lacking D-amino-acid oxidase, 25
Waku, K., see Sugiura, T., 175
Wang, D., Kaur, C., Choroid plexus epithelial cells in adult rats show structural alteration but not apoptosis following an exposure to hypobaric hypoxia, 77
Wiegand, C., see Rubie, C., 125
Willcockson, H.H., see Eckert III, W.A., 117
Witt, O., see Roth, C., 45
Won, L., see Heller, A., 216
Wuttke, W., see Roth, C., 45

Xiao, H., see Tan, Z.-Y., 65

Yamada, K., see Fujita, M., 13
Yamamoto, M., see Fujita, M., 13
Yamazaki, H., see Wake, K., 25
Yanagita, T., see Kobayashi, H., 163
Yanagita, T., see Kobayashi, H., 167
Yasojima, K., Akiyama, H., McGeer, E.G., McGeer, P.L., Reduced neprilysin in high plaque areas of Alzheimer brain: a possible relationship to deficient degradation of β-amyloid peptide, 97
Yim, S.-V., see Kim, E.-H., 21
Yokoo, H., see Kobayashi, H., 163
Yokoo, H., see Kobayashi, H., 167
Yonezawa, T., see Suzuki, M., 199
Yoshida, T., Tanaka, M., Okamoto, K., Inhibitory effect of nicergoline on superoxide generation by activated rat microglias measured using a simple chemiluminescence method, 5
Yoshikawa, Y., see Nakayama, H., 195
Yoshinaga, N., see Sugiura, T., 175

Zhang, T., Turner, D., A visuomotor reaction time task increases the irregularity and complexity of inspiratory airflow pattern in man, 41
Zhao, Z.-Q., see Tan, Z.-Y., 65